



## Shandong Xianghe Equipment Co., Ltd

2.362 Inch | 60 Millimeter x 2.563 Inch | 65.09  
Millimeter x 2.756 Inch | 70 Millimeter NTN  
UCP212D1 Pillow Block Bearings



UCP212D1 Bearing 2D drawings and 3D CAD models

Bearing No. UCP212D1

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	4.7
EAN	4547359001624
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	16 Millimeter
Relubricatable	Yes
Insert Part Number	UC212D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Inch - Metric	Metric
Other Features	Single Row   Light Duty   Wide Inner Race   Has Flinger
Long Description	2 Bolt Pillow Block; 60MM Bore; 70MM Base to Center Height; Set Screw Mount; Ball Bearing; Relubricatable;



## Shandong Xianghe Equipment Co., Ltd

	Cast Iron; Single Lip Land Riding; Non-expansion
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
Manufacturer Item Number	UCP212D1
Weight / LBS	10.362
d	2.362 Inch   60 Millimeter
Bolt Spacing Maximum	0 Inch   0Millimeter
B	2.756 Inch   70 Millimeter
Nominal Bolt Center to Center	7.3 Inch   184 Millimeter
D	2.563 Inch   65.09 Millimeter
Actual Bolt Center to Center	7.2 Inch   184Millimeter
Bolt Spacing Minimum	0 Inch   0Millimeter
mounting:	Two-Bolt Base
overall length:	241 mm
bore diameter:	60 mm
overall height:	138 mm
bore type:	Round
finish/coating:	Uncoated
base to bore centerline:	2.7480 in
overall width:	2-9/16 in
duty type:	Light Duty
base width:	70 mm
housing material:	Cast Iron
bolt center-to-center length:	184 mm
locking device:	Set Screw



## Shandong Xianghe Equipment Co., Ltd

lubrication type:	Lubrication Fitting
seal type:	Contact with Flinger
series:	UCP2
expansion type:	Non-Expansion Bearing (Fixed)
replacement bearing:	UC212D1